



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE (800) 424-9393 Wash. D.C. Area 366-0123



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

4. (2.48.49)

PSU 82

CASE NO. 636P

TYPE OF ACCIDENT Car / Pedestrian Running

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

VI was travelling northbound in lane 1 of a 4 lane two way street. A northbound bus had stopped into the curb lane bus zone on the east side of the street. A pedestrian alighted from the bus and immediately ran around the front of the bus and darted straight west into the street. The front of VI impacted the left side and legs of the pedestrian which taulted the Ped. off the left fender landing in lane 2, as VI continued through the impact without avoidance and then stopped.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	19	Male	hospitalized	Lower extremity	Skin- other	١	Bracket			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severi

	Class		Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Sub-compact	95/Ford/Escort	Front	Minor - smudges, and dents with inducement of fender and how				

DO NOT SANITIZE THIS FORM

External

2.5 meters


Scale: 1 centimeter =

HS Form 431B (8/95)



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 82		Case N	Number	-Stratum <u>6</u> <u>3</u> <u>6</u> <u>P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features:	Surface Type	Hephalth	* noi	rth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	· PRy		ide measurements for all applicable idways
a) vehicle skid marks	Coefficient of Frid	ction • U V		aled representations of the physical plant duding:
b) pedestrian contacts with ground or object	Grade (v/h) Mear	surement: 5/	a)	all road/roadway defineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	-%, ~	b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between	n impact and $ \frac{\sqrt{32}}{1} $	ре	aled representations of the vehicle and destrian at pre-impact, impact, and final at based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	ol Direction Weat	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Di	irection NORTH	b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	I Lanes 4		
b) all traffic controls (e.g., lights, signs)				
Reference Point: Light Pole	side of	Reference Line:	dae	likb Edge
item		Distance and Direction from Reference Point		Distance and Direction from Reference Line
Gapperinte Point of I	infact	≈18,4 N		
~ Final Root	Front			
of the stant down of the		240,0N		
		·		·

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY


. Primary Sampling Unit Number	Ž
--------------------------------	---

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study 1

8. ___SS17 Impact Fires 0

SS18 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN ²	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14.	15.	16. <u>7 2</u>	17. <u>0 0</u>	18: <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 0. 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown pounds X .4536 = kilograms
	+ 3 2 position
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

lational Accident Sampling System-Crashworthiness Data	System: Pedestrian Assessment Form	Page 2
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides	
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped	(02) Folded across chest (03) Hands clasped behind back (04) Hands on hips	
(02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped	(05) Hands in pockets One or both arms:	
(05) Turned toward vehicle(06) Turned away from vehicle(07) Dove or fell away	(06) Extended upward(07) Extended to side(08) Extended forward bracing	
Used hand(s) to : (11) Vault corner of vehicle	(09) Extended, holding object(briefcase, suitcase, etc.)(10) Holding object (young child,	
(12) Vault onto vehicle(13) Brace against vehicle(14) Crouched and braced hands against vehicle	grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head	
(98) Other (specify):(99) Unknown	(98) Other (specify):(99) Unknown	-
	19. Pedestrian's Leg Orientation at Initial Impact (01) Together	4
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward	,
16. Pedestrian's Head Orientation at Initial Impact	(05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground	
(1) To front (2) To left (3) To right	(08) Both feet off the ground (98) Other (specify):	_//
(4) Up (5) Down (8) Other (specify):	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position	8
(9) Unknown	(02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top	
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle	 (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle 	
(2) Facing away (3) Left side to vehicle (4) Right side to vehicle	(08) Knocked to pavement, forward(09) Knocked to pavement, left of vehicle	
(8) Other (specify):(9) Unknown	(10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle	-
	 (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside 	\int_{S_0}
	(15) Snagged, rotated(16) Snagged, dragged by vehicle(17) Foot or legs run over	ha I
	(17) Foot or legs run over (98) Other (specify): Wide Franks Fi (99) Unknown Shunter to left	H

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian 	Q	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown
Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal
Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	P	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained	P	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
(9) Unknown		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood?	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes
(1) No - blood not given (2) Yes - blood given (specify units):	(96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

 $\mathbf{x}_{\mathbf{x}}$

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


Source Type of Specific Source Direct/ Type of Injury Body Anatomic Anatomic Level of A.I.S. Injury Confidence Indirect Striking Of					AIS-90					Injury				
1st $6.\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		of Injury	•	Anatomic	Anatomic			Aspect	Source	Source Confidence Level	Indirect	_		Damage Depth
3rd 31 $\frac{3}{2}$ 32 $\frac{8}{2}$ 33 $\frac{9}{2}$ 34. $\frac{9}{2}$ 235. $\frac{9}{2}$ 36. $\frac{1}{2}$ 37. $\frac{1}{2}$ 38. $\frac{9}{2}$ 39. $\frac{1}{2}$ 40. $\frac{1}{2}$ 42. $\frac{1}{2}$ 44. $\frac{1}{2}$ 42. $\frac{1}{2}$ 44. $\frac{1}{2}$ 45. $\frac{1}{2}$ 46. $\frac{9}{2}$ 47. $\frac{9}{2}$ 48. $\frac{9}{2}$ 49. $\frac{1}{2}$ 50. $\frac{9}{2}$ 51. $\frac{1}{2}$ 9 52. $\frac{1}{2}$ 53. $\frac{1}{2}$ 54. $\frac{1}{2}$ 55. $\frac{1}{2}$ 5th 57. $\frac{3}{2}$ 58. $\frac{1}{2}$ 59. $\frac{9}{2}$ 60. $\frac{9}{2}$ 61. $\frac{9}{2}$ 62. $\frac{1}{2}$ 63. $\frac{1}{2}$ 64. $\frac{9}{2}$ 70. $\frac{1}{2}$ 66. $\frac{1}{2}$ 67. $\frac{1}{2}$ 68. $\frac{1}{2}$ 68. $\frac{1}{2}$ 68. $\frac{1}{2}$ 69. $\frac{1}{2}$ 71. $\frac{1}{2}$ 72. $\frac{1}{2}$ 73. $\frac{1}{2}$ 74. $\frac{1}{2}$ 75. $\frac{1}{2}$ 76. $\frac{1}{2}$ 77. $\frac{1}{2}$ 78. $\frac{1}{2}$ 79. $\frac{1}{2}$ 80. $\frac{1}{2}$ 81. $\frac{1}{2}$ 83. $\frac{1}{2}$ 84. $\frac{1}{2}$ 85. $\frac{1}{2}$ 86. $\frac{1}{2}$ 87. $\frac{1}{2}$ 88. $\frac{1}{2}$ 89. $\frac{1}{2}$ 90. $\frac{1}{2}$ 91. $\frac{1}{2}$ 92. $\frac{1}{2}$ 93. $\frac{1}{2}$ 94. $\frac{1}{2}$ 94. $\frac{1}{2}$ 95. $\frac{1}{2}$ 97. $\frac{1}{2}$ 98. $\frac{1}{2}$ 99. $\frac{1}{2}$ 100. $\frac{1}{2}$ 103. $\frac{1}{2}$ 104. $\frac{1}{2}$ 105. $\frac{1}{2}$ 106. $\frac{1}{2}$ 109. $\frac{1}{2}$ 119. $\frac{1}{2}$ 119. $\frac{1}{2}$ 120. $\frac{1}{2}$ 119. $\frac{1}{2}$ 119. $\frac{1}{2}$ 119. $\frac{1}{2}$ 120. $\frac{1}{2}$ 119.	1st	5. <u>3</u>	*8.	7. <u>9</u>	8. <u>0 C</u>	9. <u>0 Z</u>	- _{10.} <u>/</u>	11			14	15. 5	16. 2	17.3
4th $44.\frac{3}{2}$ $45.\frac{8}{2}$ $46.\frac{9}{2}$ 47.02 48.02 $49.\frac{1}{2}$ 50.27 $51.\frac{7}{2}$ 0.27 $52.\frac{1}{2}$ $53.\frac{1}{2}$ $54.\frac{7}{2}$ $55.\frac{1}{2}$ $51.\frac{7}{2}$ $53.\frac{1}{2}$ $53.\frac{1}{2}$ $54.\frac{7}{2}$ $55.\frac{1}{2}$ $51.\frac{7}{2}$ $53.\frac{1}{2}$ $63.\frac{1}{2}$ $64.\frac{1}{2}$ $73.\frac{1}{2}$ $73.\frac{1}$	2nd	18. 2	19. <u>8</u>	20. <u> </u>	21,04	22. <u>0 2</u>	- _{23.}	24. <u>L</u>	25. 7 0 3	26	27. 1	28. 2	29. 4	30
5th 57. \(\frac{7}{2} \) 58. \(\frac{\beta}{2} \) 59. \(\frac{9}{2} \) 60. \(\frac{9}{2} \) 61. \(\D \gamma \) 62. \(\frac{1}{2} \) 63. \(\Lambda \) 64. \(\frac{7}{2} \D \D \) 65. \(\frac{1}{2} \) 66. \(\frac{1}{2} \) 68. \(\frac{1}{2} \) 77. \(\cdots \) 78. \(\cdots \) 79. \(\cdots \) 80. \(\cdots \) 81. \(\cdots \) 7th 83. \(\cdots \) 84. \(\cdots \) 85. \(\cdots \) 86. \(\cdots \) 87. \(\cdots \) 88. \(\cdots \) 89. \(\cdots \) 90. \(\cdots \) 91. \(\cdots \) 92. \(\cdots \) 93. \(\cdots \) 94. \(\cdots \) 8th 96. \(\cdots \) 97. \(\cdots \) 98. \(\cdots \) 99. \(\cdots \) 101. \(\cdots \) 102. \(\cdots \) 103. \(\cdots \) 104. \(\cdots \) 105. \(\cdots \) 106. \(\cdots \) 107. \(\cdots \) 9th 109. \(\cdots \) 110. \(\cdots \) 113. \(\cdots \) 114. \(\cdots \) 115. \(\cdots \) 116. \(\cdots \) 117. \(\cdots \) 118. \(\cdots \) 119. \(\cdots \) 120. \(\cdots \)	3rd	31.2	32. <u>&</u>	33. <u>9</u>	34. <u>D_Z</u>	- _{35.} <u>0</u> 2	- _{36.}	_{37.} <u>/</u>	36. <u>70 }</u>	39. _	40. /	41.2	42.6	43.2
6th 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 7th 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 9th 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120.	4th	44.3	45. <u>8</u>	46. 9	47. <u>0</u> 2	48. <u>0</u> 2	- _{49.} <u>/</u>	_{50.}	- 51. <u>70 D</u>	52	53	54	552	<u>2</u>
7th 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 9th 109. 110. 111. 112. 113. 114. 115. 118. 117. 118. 119. 120.	5th	57. <u>Z</u>	58. <u>Z</u>	59. <u>9</u>	60.0_4	61. <u>D</u> Z	- _{62.} <u>/</u>	63. <u>Z</u>	64. <u>700</u>	65	66	67. <u>3</u>	68.2	69. <u> </u>
8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 9th 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120.	6th	70	71	72	73	74	75	76	77	78	79	80	81	82
9th 109 110 111 112113 114 115 118 117 118 119 120	7th	83	84	85	86	87	88	89	90	91	92	93	94	95
	8th	96	97	98	99	100	. 101,	102	103	104	105	106	107,	108
10th 122123124125126127128129180131132133	9th	109	110	111	112	113	_ 114,	115	116	117	118	119	120	121
	10th	122	123	124	125	_126	127	128	129.	130	131	132	133	134

					PEDES	STRIA	JUNI N	JRY DAT	·A				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	_	_	_				_						_
12th			_						_				_
13th		_	-			-	-				_		_
15th	_					_	_		_	_	_	_	_
16th 17th			<u></u>			_	_		-		—		_
18th	_	_	-				_		_		_		_
19th	_	_	_			_	_		_		_	_	_
20th 21st	_	— —	— —				— —		— —	_	<u> </u>		_
22 nd	_						_		_	_	_	_	_
23rd 24th		-	_			_	_		_	-			_
25th	-	_	_			<u></u>	_				_		

The state of the second second

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **OFFICIAL** Certain Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury Indirect contact injury Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥15 centimeters) Rounded (contoured) DAMAGE DEPTH Injury not from vehicle contact No residual damage UNOFFICIAL (5) Lay coroner report (2) (3) Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel Rounded edge (7) Interviewee (5) (8) Sharp edge Crush depth > 2 to 5 centimeters (8) Other source (specify): Other (specify): Crush depth >5 to 10 centimeters (8) Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic (06) Lumbar Abbreviated Injury Scale Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration (O8) Skin - Avulsion Head Minor injury Face (2) Moderate injury (3) Neck (3) Serious injury Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury (5) Abdomen (5) Critical injury (6) Spine (10) Amputation (6) Maximum (untreatable) (7)**Upper Extremity** (20) Burn (30) Crush Injured, unknown severity (8) **Lower Extremity** Level of Injury Unspecified (40) Degloving Aspect Specific injuries are consecutive two-digit beginning with 02. Injury - NFS assigned Type of Anatomic Structure (90) Trauma, other than mechanical (1) numbers Right Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion Whole Area (3) (4) (5) Bilateral To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Vessels Central (3) Nerves Anterior (4) Organs (includes muscles/ Posterior ligaments) (7)Superior Skeletal (includes joints) Head - LOC (8) Inferior (6)structure. 99 is assigned to any injury Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 750 Right side door surface 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object (specify): 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)




OFFICIAL INJURY DATA — SKELETAL INJURIES Restrained? Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) **Blood Alcohol Level** (mg/dl) BAL = ___ Glasgow Coma Scale Score GCSS = Units of Blood Given Units = **Arterial Blood Gases** HCO₃

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	PEDESTRIAN CRASH DATA STU
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6	9. Police Reported Travel Speed
3. Vehicle Number	O 1 Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	in kmph (999) Unknown Solution mph x 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)
7. Body Type Note: Applicable codes may be found on the back of this page.	(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number F A S 1 4 5 5 5 W 11 12 13 14 1 Left justify; Slash zeros and letter Z (0 and No VIN—Code all zeros Unknown—Code all nines	(0) No other drug(s) present
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown bs x .4536 = 090 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

 Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway
 This Vehicle Loss of Control Due To:		(specify):
(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine		roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
(specify):		location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
up) (specify):		(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway
(specify):		(89) Animal—unknown location
(06) Traveling too fast for conditions		(90) Object in roadway
(08) Other cause of control loss (specify):		(91) Object approaching roadway
		(92) Object—unknown location
(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
This Vehicle Traveling		
(10) Over the lane line on left side of travel lane		(99) Unknown
(11) Over the lane line on right side of travel lane		(0)
(12) Off the edge of the road on the left side	24.	I. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side		(00) No driver present
(14) End departure		(O1) No avoidance actions
(15) Turning left at intersection		(O2) Braking (no lockup)
(16) Turning right at intersection		(O3) Braking (lockup)
(17) Crossing over (passing through) intersection		(O4) Braking (lockup unknown)
(19) Unknown travel direction		(05) Releasing brakes
Other Motor Vehicle In Lane		(06) Steering left
(50) Stopped		(07) Steering right
(51) Traveling in same direction with lower speed		(08) Braking and steering left
(i.e., lower steady speed or decelerating)		(09) Braking and steering right
(52) Traveling in same direction with higher speed		(10) Accelerating
(53) Traveling in opposite direction		(11) Accelerating and steering left
(54) In crossover		(12) Accelerating and steering right
(55) Backing		(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle		(99) Unknown
in lane	25	5. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	25.	(0) No driver present
(60) From adjacent lane (same direction) — over left lane line		(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right		(2) Tracking
lane line		(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line		degrees
(63) From opposite direction—over right lane line		(4) Skidding laterally—clockwise rotation
(64) From parking lane		(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction		(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path		(9) Precrash stability unknown
(67) From crossing street, turning into opposite		(9) Preciasi stability dikriowii
direction	26.	6. Precrash Directional Consequences of
(68) From crossing street, intended path not known		Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction		(0) No driver present
(71) From driveway, across path		(1) No avoidance maneuver
(72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known		maneuver was initiated
(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
unknown		(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist		initiated
(80) Pedestrian in roadway		(5) Vehicle departed roadway
(81) Pedestrian approaching roadway]	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location		(9) Directional consequences unknown
		•

		ENVIRO	NIVIE	NTA	AL L	DATA
27	Rola	tion to Junction	(0)	22	Poo	dway Surface Condition
۷1.		Non-junction	4	აა.	noa (1)	Dry
		Interchange area			(2)	Wet
					(3)	Snow and slush
		-Interchange			(4)	lce
		Intersection			(5)	Sand, dirt or oil
		Intersection-related Drive, alley access related				Other (specify):
		Other non-interchange (specify):			(3)	CHRIOWH
	,,,	cuiei iieii iiiei ciiaiige (epeeii),				
		Unknown type of non-interchange		34.	Traf	fic Control Device
	(9)	Unknown if interchange				No traffic control(s)
			1		(1)	Trafficway traffic control signal (not RR
28	Traf	ficway Flow				crossing)
20.		Not physically divided (two way traffic)			Rea	ulatory or School Zone Sign (Not RR Crossing)
		Divided trafficway - median strip without				Stop sign
		positive barrier				Yield sign
	(3)				(4)	School zone sign
	/4\	positive barrier			(5)	Other sign (specify):
		One way trafficway Unknown			/ 6 \	Unknown sign
	(3)	Sikilowii	ſ			Warning sign (not RR crossing)
			1/2		(8)	Miscellaneous/other controls including RR
29.	Num	nber of Travel Lanes	4		•	controls (specify):
		One				
		Two			(9)	Unknown
	(3) (4)	Three Four				
		Five		35.	Traf	fic Control Device Functioning
	(6)	Six		-		No traffic control
	(7)	Seven or more				Not Functioning
	(9)	Unknown				Functioning
			١		(9)	Unknown
30.	Road	dway Alignment	1			
•••		Straight		36.	Ligh	t Conditions
	(2)	Curve right				Daylight
		Curve left			(2)	Dark
	(9)	Unknown				Dark, but lighted
					(4) (5)	Dawn Dusk
31.	Road	dway Profile	ス			Unknown
		Level			,	1
		Uphill Grade (>2%)				
		Downhill Grade (>2%)		37.		nospheric Conditions
		Hillcrest			(1)	No adverse atmospheric related driving
	(5) (9)	Sag Unknown			(2)	conditions Rain
	(3)	CHRIDWH			(3)	Sleet
			7		(4)	Snow
32.		dway Surface Type	\leq		(5)	Fog
		Concrete			(6)	Rain and fog
	(2)	Bituminous (asphalt)				Sleet and fog
	(3) (4)	Brick or Block Slag, gravel or stone			(0)	Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
	(5)	Dirt			(9)	Unknown
	(8)	Other (specify):			•	
		-				
	(9)	Unknown				
						•

<u> </u>	96
and the second s	
	82-636
	95 Escort 1940m
	79 / 0 m 45-"
	160=
	30-35
	boileing atter
	POI to FRF = 21,5 m = 70.5
	f = 0.60
	PR time = 2 Sec
W	f = 0,60
	7 - 0,36
	1,2
	$S = V + \frac{V^2}{(2)(0,6)(32.2)}$
	70.5=2V+0.026V2
	10.026V2+ZV -70,5 = 0
	V = -2 ± 7(2)2-(4)(0.026)(-70.5)
	,052
	1/ = 2/ 2 £ Ps = /29. 1/ = 200 1 2/
-	V = 26,3 f PS = 17,9 mph = 28,8 KPh
5 -2	
	29KPh
en general de la companya de la comp La companya de la co	
<u> Laborono de la companyo de la comp</u>	

-



Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cm

cm

cm


VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

15 cm






NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

151

PEDESTRIAN SIDE CONTACT WORK SHE		
PEV06 Hood Material		
PEV08 Hood Length		cm
PEV09 Hood Width-Forward Opening		cm
PEV10 Hood Width-Midway		cm
PEV11 Hood Width-Real Opening		cm
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance		cm
PEV27 Side Bumper-Bottom Height		cm
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm
PEV32 Bottom of A-Pillar at Windshield		cm
PEV33 Top of A-Pillar at Windshield		cm
PEV34 Top of Side View Mirror		cm
LATERAL MEASUREMENTS		
PEV35 C _L to A-Pillar at Bottom of Windshield		
		cm
PEV36 C _L to A-Pillar at Top of Windshield		cm
PEV37 C _L to Maximum Side View Mirror Protrusion	\ <u> </u>	cm
WPAR DISTANCES	,	
WRAP DISTANCES	N. N	
PEV38 Ground to Side/Top Transition		cm
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV41 Ground to Head Contact		cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

ORIGINAL SPECIFICATIONS						
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./disp		$ \begin{array}{ccccccccccccccccccccccccccccccccc$				
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	INJURY SOURCE 744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Front header 777 Roof surface 778 Backlight glazing	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment				
Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	948 Other object (specify): 949 Unknown object in environment 959 Unknown object on contacting vehicle 997 Noncontact injury source 999 Unknown injury source				

and the second

	POINTS OF PEDESTRIAN CONTACT								
				PEDEST	RIAN CONTA	CT WORKSHI	ET		
	CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	SEQUENCE #
(ord)	DK.	Licenset	114	14	8	Bly	Fabric-Smudges Slightly Bento	1 2 3 9	١
	1_	į	114	80	0	11	***	Q)2-3-9	1
	M	Bumper	96	7	0	Bleg	snewed	2 3 9	2
	77	G87//	4	7	9-3		Black Smiles	M2 2 8	3
	<u>P</u>	Es Bood Ed	ge 76	26	2-3	*/	0 5	1 2 3 9	ĺ
	<u>R</u>	Bringar	96	ς, Υ	0	94	5 meaned	()211	4
	5	theall get	83	<u> </u>	0	U Leg	smewrit clean	2 3 9	5
	1	man later	76	-+1	0	Ulez-	Stracks Smurry	(j) 2 3 8	6
	<u>u</u>	Hood	59	-67		1 leg	Shored few ward	2 3 9	7
	7	Sido Fende	54	<u> </u>	7,002-04 2,0	04	Blue Runes	(1)2.2.1	8
(Big	K	C/ N/	23	- } ,	3	Dley	Blue sandal	1) 2 3 9	8
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 8	
								1 2 3 9	
								1 2 1 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
F	Lucas "	1-32	14	6	P 29	Fatic Sum But	1 2 3 9
1	Plate	1-31	-8	Ч	1, 4,	N	1 2 3 9
W	Bruker -	¥-55	-3			Smean,	1 2 3 9
N		B-73	_5_	3	Desme	Smages Blacke	1 2 3 9
Ja	Sm	I-75	-26	2-3	(DSMC)	Cracked Broken	1 2 3 9
	Empor	3-55	-53			men clean	1 2 3 9
5	Headligh	7-68	-60		(1) Leg	Smeared	1 2 3 9
7	um light	1-75	> \		D) reg	Saperto foundres	1 2 3 9
7	Hook	59	-62		# Oly	small dent / Properties	1 2 3 9
7	Side teider	54	-68	Some &	D Leg	Blue Burned Nylon	1 2 3 9
<u>x</u>	Side Ferda	53	-7,7	(Capacian 2)	(b) log	Blue Smidge	1 2 3 9
						·	1 2 3 9
						:	1 2 3 9
						***	1 2 3 9
							1 2 3 9
				<u> </u>			1 2 3 9
							1 2 3 9
			-				1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
				-7			1 2 3 9
5:							1 2 3 9
							1 2 3 9
							1 2 3 9

5-77

1 2 3 9

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF CONTACT CONTACTED LOCATION LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT (Y) CENTIMETERS **BODY REGION** (Circle) Licar Plate don't + cloye R. I.S 1 K 114 ① 2 3 9 14 0-1 718 frasfor 76 } 2 11 Rolog truster **(1)** 2 2 3 3 Riley treasfor \bigcirc 2 3 9 707 3 ~ 78 96 Lles 700 **(3)** 2 3 9 0 -71 96 Lles 5 . ① 2 3 9 700 0 1 2 3 9 7 1 2 3 9 1 2 3 8 1 2 3 9 18 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 9 18 1 2 3 9 17 1 2 3 9 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 1 2 3 9 24 1 2 3 9

25

VEHICLE DIMENSIONS	11 Hood Width Boar Opening (40)
4. Original Wheelbase 250	11. Hood Width Rear Opening Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(coo) challen.
$\underline{98.4}$ inches $\times 2.54 = \underline{350}$ centimeters	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width (Pedestrian <u>2</u>
nearest centimeter	(0) Not damaged(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
· · · · · · · · · · · · · · · · · · ·	(3) Moderate crush (4-7 centimeters)
$\underline{}$ 56. $\underline{5}$ inches x 2.54 = $\underline{}$ centimeters	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	dikilowii ii dalilagod
(9) Unknown	FRONT CONTACT DAMAGE
~ · · · · · · · · · · · · · · · · · · ·	Front Vertical Measurements
8. Hood Length Code to the	
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more (999) Unknown	(1) Plastic
(999) Chkhown	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber (4) Other (specify):
9. Hood Width Forward Opening \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(9) Unknown
Code to the	45 Front Brimer Bainfaranment Material
nearest centimeter (210) 210 centimeters or more	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
	(2) Aluminum (3) Stainless Steel (2) (2)
inches X 2.54 = centimeters	(3) Stainless Steel (4) Other (specify): Plastic Tube (9) Unknown
10. Hood Width Midway $\frac{\sqrt{3}}{2}$	(9) Unknown
Code to the	16. Front Bumper-Bottom Height
nearest centimeter	
(210) 210 centimeters or more	Code to the
	nearest centimeter
(210) 210 centimeters or more (999) Unknown	nearest centimeter (000) No front contact (150) 150 centimeters or more
(210) 210 centimeters or more	nearest centimeter (000) No front contact

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
Front Wrap Distance Measurements 20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening code to the nearest centimeter	

29.	Centerline of Wheel	000	Side Lateral Measurements
	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =	centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter
	Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown	000	(250) 250 centimeters or more (999) Unknown inches X 2.54 = centimeters 36. Centerline to A-Pillar at Top of Windshield
31.	inches X 2.54 = Top of Wheel Well Opening	_ centimeters	Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
-	Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown
((000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =	centimeters	inches X 2.54 =centimeter Side Wrap Distance Measurements
- (Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
<u>-</u>	inches X 2.54 =	_ centimeters	39. Ground to Hood Edge
- (Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	<u> </u>	Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
-	inches X 2.54 =	_ centimeters	

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	<u>000</u>	
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	_ centimeters	
		inches X 2.54 =	_ centimeters	
	,			
		•		



000000000000000 01

82636P00010012 969.001000000000101F72000

9.00 000000001911654408913307313013001301049800000331010315 82636P00010021 1010000000005

82636P00010131 9.00 00000000038906021171811533 9.00 00000000038904021170311262 82636P00010231 9.00 00000000038902021170311262 82636P00010331 9.00 00000000038902021270011322 82636P00010431

9.00 00000000038904021270011322 82636P00010531

9.00 000000009512013051FASP14J5SW 99905609600109000002 82636P01000041 92110180011101413210011

9.00 000000002501443109413413814020140380540680907707917218 82636P01000051

0000000000000

PSU82 CASE 636P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



•	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ō	Ö	Ō	Y
Pedestrian Injury	0	0	O	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicl	e O	O	Ö	Υ
Total Inter Errors		0	o`	
Total Case Errors	0	o	0	